

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/550,677	07/05/2006	Masahiko Amari	034206.002	8340	
441 7550 05/27/2008 SMITH, GAMBRELL & RUSSELL			EXAM	EXAMINER	
1130 CONNECTICUT AVENUE, N.W., SUITE 1130 WASHINGTON, DC 20036		HWU, DAVIS D			
WASHINGTO	N, DC 20036		ART UNIT	PAPER NUMBER	
			3752		
			MAIL DATE	DELIVERY MODE	
			05/27/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Application No. Applicant(s) 10/550,677 AMARI ET AL. Office Action Summary Examiner Art Unit Davis D. Hwu 3752 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 24 March 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 3-24 is/are pending in the application. 4a) Of the above claim(s) 5-7 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 3.4 and 8-24 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date 3/24/08

Notice of Draftsperson's Patent Drawing Review (PTO-948)
Notice of Draftsperson's Patent Drawing Review (PTO-948)
Notice of Draftsperson's Patent Drawing Review (PTO-948)

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/550,677 Page 2

Art Unit: 3752

## DETAILED ACTION

 Applicant's amendment and arguments of March 24, 2008 have been entered and fully considered.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

## Claim Rejections - 35 USC § 103

 Claims 3, 4 and 8-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sickles '482 in view of Walberg and Binoche.

Sickles '482 discloses an electrostatic coating spray gun comprising: a barrel 14 as recited; an air cap 70 mounted on a front of the barrel; a coating material delivery port 84 as recited; a centralized electrode 150 protruding forward through the delivery port 84; a first pair of projections 100 and 102 as recited, the projections protruding farther forward than the coating material delivery port; a pattern flow channel as recited; a pair of electrodes 110 and 112 in the air cap 70. Walberg teaches a coating spray gun comprising an air cap 34 having a pair of projections in which an electrode is located in one of the projections (Figure 3) and Binoche teaches an electrostatic coating spray gun comprising insulated electrodes. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the device of Sickles '482 placing electrodes in the projections since such arrangements have been taught by Walberg and by providing insulated electrodes as has already been taught by Binoche. Placing electrodes in each projection would have been a matter of design choice since it would have a mere duplication of parts as would have been the addition of a second

Page 3

Application/Control Number: 10/550,677

Art Unit: 3752

pair of projections as recited in claim 17. It would also have been obvious to one having ordinary skill in the art that the pin electrode would be grounded since such arrangements are well known in the art and grounding the pin electrode by a wiring cable would have been a matter of design choice. The orientation of the projections as recited in claim 12 would have been a matter of design choice since the same results still will be achieved with such arrangements.

## Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davis D. Hwu whose telephone number is 571-272-4904. The examiner can normally be reached on 8:00-4:30. If attempts to reach the Application/Control Number: 10/550,677 Page 4

Art Unit: 3752

examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on 571-272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Davis D Hwu/ Primary Examiner, Art Unit 3752